


READYBURGER READYBURGER READYBURGER READYBURGER

STRAND RANGE









OPEN CASSETTE AWNING



TECHNICAL INFO

- Frame: Made from aluminium extrusions with aluminium parts and components
- **Arms:** Made from aluminium extrusions with double springs and stainless steel chain
- **Fabric:** Acrylic or Polyester available
- **Operation:** Motorised using powerful 45-120NM motor (depending on size), with mechanical limit and emergency override. Built in transformer to enable LED function.
- **Lights:** Built in LED lights in the arm, in daylight white with ON/OFF function.
- **Sensor:** Wireless battery operated motion sensor attached to the awning included

AVAILABLE IN TWO STANDARD COLOURS

RAL 7016 ANTHRACITE GREY RAL 9003 WHITE

OPTIONS

- **Size:** Start from 2.2m to 7m wide in one piece, 7m to 12m in two pieces (to be assembled on site)
- **Arm Size:** 1.5m, 2m, 2.5m, 3m, 3.5m
- Frame Colour: Available in White and Anthracite Grey as standard.
- **Fabric Colour:** 100's of colours available from top European suppliers
- Valance: 200mm straight valance included

ADDITIONAL EXTRAS

- Frame: Frames can be powder coated to most K7 RAL colours
- **Signwriting:** Logos and text can be printed on the main cover and valance
- Weighted rod can be added to the valance
- Additional valance can be ordered
- Additional remote controls can be ordered
- NOTE Side and Front curtains can be attached
- Telescopic Legs: Available in White and Anthracite Grey
- **Jockey Roll:** Can be used with this system

NOTE See page 51 for more information

6

OPEN CASSETTE AWNING









TECHNICAL INFO

- Frame: Made from aluminium extrusions with aluminium parts and components
- **Arms:** Made from aluminium extrusions with double springs and stainless steel chain
- **Fabric:** Acrylic or Polyester available

- **Operation:** Motorised using powerful 45-120NM motor (depending on size), with mechanical limit and emergency override. Built in transformer to enable LED function.
- **Lights:** Built in LED lights in the front bar, in daylight white with ON/OFF function.
- **Sensor:** Wireless battery operated motion sensor attached to the awning included

AVAILABLE IN TWO STANDARD COLOURS

RAL 7016 ANTHRACITE GREY RAL 9003 WHITE

OPTIONS

- **Size:** Start from 2.2m to 7m wide in one piece, 7m to 12m in two pieces (to be assembled on site)
- **Arm Size:** 1.5m, 2m, 2.5m, 3m, 3.5m
- Frame Colour: Available in White and Anthracite Grey as standard.
- Fabric Colour: 100's of colours available from top European suppliers.
- **Light Functions:** LED in the arms and front bar can be operated simultaneously with one remote or separately via remote and wall switch
- Valance: 200mm straight valance included

ADDITIONAL EXTRAS

■ Frame Colour: Frames can be powder coated to most K7 RAL colours

STRAND

BRIGHT VISION

- **Lights:** LED Lights in the arms
- Weighted rod can be added to the valance
- Additional valance can be ordered
- Additional remote controls can be ordered
- **Signwriting:** Logos and text can be printed on the main cover and valance
- NOTE Side and Front curtains can be attached
- Telescopic Legs: Available in White and Anthracite Grey
- **Jockey Roll:** Can be used with this system

NOTE See page 51 for more information

LED CONFIGURATIONS

- Front Bar + Standard arms 1 x remote control
- Front Bar + LED arms, ON/OFF together 1 x remote control
- Front Bar + LED arms, ON/OFF Separately
 1x remote control and 1 internal switch

DROP DOWN VALANCE

STRAND DV







- **Drop Valance Operation:** Manual with small winding handle
- Frame: Made from aluminium extrusions with aluminium parts and components
- **Arms:** Made from aluminium extrusions with double springs and stainless steel chain
- **Fabric:** Acrylic or Polyester available
- **Operation:** Manual or motorised using powerful 45-120NM motor (depending on size), with mechanical limit and emergency override. Built in transformer to enable LED function
- Lights: LED lights are not included
- **Sensor:** Wireless battery operated motion sensor attached to the awning included



OPTIONS

- **Size:** Start from 2.2m to 6m wide in one piece
- **Arm Size:** 1.5m, 2m, 2.5m, 3m, 3.5m
- Frame Colour: Available in White and Anthracite Grey as standard.
- **Fabric Colour:** 100's of colours available from top European suppliers
- **Valance:** 300mm straight valance + up to 1600mm drop valance

AVAILABLE IN TWO STANDARD COLOURS

RAL 7016 ANTHRACITE GREY

RAL 9003 WHITE

ADDITIONAL EXTRAS

- Frame: Powder coating not available
- **Lights:** LED Lights in the arms
- **Signwriting:** Logos and text can be printed on the main cover and valance
- Eyelets can be added to the valance
- Additional valance can be ordered
- Additional remote controls can be ordered
- Weighted rod can be added to the valance
- NOTE Side and Front curtains can be attached
- Telescopic Legs: Available in White and
 Anthracite Grey, recommended with this system

11

Jockey Roll: Can be used with this system

NOTE See page 51 for more information

10

OPEN CASSETTE AWNING

STRAND T-Range



TECHNICAL INFO

- **Frame:** Made from aluminium extrusions with aluminium parts and components
- **Arms:** Made from aluminium extrusions with double springs and stainless steel chain
- **Fabric:** Acrylic or Polyester available
- **Operation:** Motorised using powerful 45NM motor, with mechanical limit and emergency override. Built in transformer to enable LED function.
- **Lights:** Built in LED lights in the arm, in warm white with dimmable function.
- **Sensor:** Wireless battery operated motion sensor attached to the awning included





RAL 9003 WHITE

OPTIONS

- **Size:** Start from 3.2m to 6m wide
- **Arm Size:** 2.5m only
- Frame Colour: Available in White as standard
- **Fabric Colour:** 100's of colours available from top European suppliers
- Valance: 200mm straight valance included

ADDITIONAL EXTRAS

- Frame: Powder coating not available
- **Signwriting:** Logos and text can be printed on the main cover and valance
- Additional valance can be ordered
- Additional remote controls can be ordered
- Weighted rod can be added to the valance

NOTE Side and Front curtains can be attached

Telescopic Legs: Available in White

Jockey Roll: Can be used with this system

13

NOTE See page 51 for more information

12