

# VICTORIA RANGE



**S100**  
Steel Box

**NEW**  
PRODUCT



**W500**  
Hardwood Box



**W250**  
Semi boxed with round arms

**NEW**  
PRODUCT



**W250**  
Semi boxed with traditional arms

**NEW**  
PRODUCT




# TRADITIONAL VICTORIAN AWNING

**VICTORIA S100**

Steel Box

NEW  
PRODUCT



## TECHNICAL INFO

- **Box:** Folded from one piece galvanized steel plate
- **Front Bar:** Crafted from 2 parts Maranti hardwood with a routed rain channel
- **Tube & Spring:** 3.5" steel tube with 6mm spring assembly and dummy end
- **Fabric:** Acrylic or Polyester available
- **Operation:** Manual pull down
- **Arms:** Forged from 22mm round solid steel with cast steel top straps and cannon shoes
- **Sliders:** 22mm round solid steel with cast steel top and bottom wall brackets



## OPTIONS

- **Size:** Start from 1.5m to 8m wide
- **Arm Size:** 1m to 2.2m horizontal projection
- **Box Colour:** Can be powder coated to most K7 RAL colours
- **Front Bar Colour:** Primed and undercoated, followed by 2 top coats with paint of choice or stained
- **Fabric Colour:** 100's of colours available from top European suppliers
- **Valance:** 200mm straight valance included
- **P Channels:** Valance attached to the front bar with P channel
- **Nailed:** Main cover attached to front bar with traditional nails

## ADDITIONAL EXTRAS

- **Ironmongery:** Can be powder coated to most K7 RAL colours
- **Signwriting:** Logos and text can be printed on the main cover and valance
- Additional valance can be ordered if with P Channel
- Side and Front curtains can be attached

# TRADITIONAL VICTORIAN AWNING

**VICTORIA W500**  
Hardwood Box



## TECHNICAL INFO

- **Box:** Crafted from Maranti and Sapele hardwood
- **Front Bar:** Crafted from 2 parts Maranti hardwood with a routed rain channel
- **Tube & Spring:** 3.5" steel tube with 6mm spring assembly and dummy end
- **Fabric:** Acrylic or Polyester available
- **Operation:** Manual pull down
- **Arms:** Forged from 22mm round solid steel with cast steel top straps and cannon shoes
- **Sliders:** 22mm round solid steel with cast steel top and bottom wall brackets



## OPTIONS

- **Size:** Start from 1.5m to 8m wide
- **Arm Size:** 1m to 2.2m horizontal projection
- **Box Colour:** Primed and undercoated, followed by 2 top coats with paint of choice or stained
- **Front Bar Colour:** Primed and undercoated, followed by 2 top coats with paint of choice or stained
- **Fabric Colour:** 100's of colours available from top European suppliers
- **Valance:** 200mm straight valance included
- **P Channels:** Valance attached to the front bar with P channel
- **Nailed:** Main cover attached to front bar with traditional nails

## ADDITIONAL EXTRAS


- **Ironmongery:** Can be powder coated to most K7 RAL colours
- **Signwriting:** Logos and text can be printed on the main cover and valance
- Additional valance can be ordered if with P Channel
- Side and Front curtains can be attached



# TRADITIONAL VICTORIAN AWNING


**VICTORIA W250**

Semi boxed with  
round front bar



## TECHNICAL INFO

- **Box:** half box, crafted from Maranti and Sapele hardwood
- **Front Bar:** 63mm galvanised round tube, powder coated in most K7 RAL colours
- **Tube & Spring:** 3.5" steel tube with 6mm spring assembly and dummy end
- **Fabric:** Acrylic or Polyester available
- **Operation:** Manual pull down
- **Arms:**  
Forged from 22mm round solid steel welding to 63mm ring and cannon shoes.  
63mm galvanised round tube with T connector



## OPTIONS

- **Size:** Start from 1.5m to 6m wide
- **Arm Size:** 1m to 1.8m horizontal projection
- **Box Colour:** Primed and undercoated, followed by 2 top coats with paint of choice or stained
- **Front Bar Colour:** can be powder coated in most K7 RAL colours
- **Fabric Colour:** 100's of colours available from top European suppliers
- **Valance:** None

## ADDITIONAL EXTRAS

- **Ironmongery:** Can be powder coated to most K7 RAL colours
- **Signwriting:** Logos and text can be printed on the main cover
- Side curtains can be added